



MORE THAN JUST A TELEPHONE.



M SERIES STANDARD

Sophisticated styling. Smart technology.

Distributed By
TrendTek Australia Pty Ltd

Phone: 1300 310 300, +612 9680 7711
Fax: +612 9680 1211
Email to: info@trendtek.com.au
Web site: www.trendtek.com.au

M SERIES STANDARD

M Series Standard hotel phones are available in analog, VoIP, corded, and cordless configurations. Choose 0, 5, or 10 guest service keys on the phone, and 0, 3, or 6 on the RediDock remote handset kit. USB charging ports on the phone and RediDock support smart device recharging. OneTouch voice mail retrieval automates guest messaging. AutoSync registers RediDock handsets with the base to eliminate connection failures and misplaced handsets.

M SERIES STANDARD FACEPLATES

A convenient clear plastic faceplate module encapsulates the printed paper faceplate.

National Account Package

Place your minimum 50-phone Teledex M Series Standard order and receive:

- Free printing and installation of full-color faceplates with room numbers.
- Free 10% spare faceplates.
- Free speed dial key pre-programming.
- Free ground shipping within the Continental U.S.



Matching MTRM Trimline available.



Versatile M Series Standard front/rear facing RediDock remote handset kits.

M Series Standard Analog Cordless

- Available Frequencies: 1.8 GHz and 1.9 GHz
- Single or Two-line speakerphones
- Handset speakerphone
- Supports up to five handsets, including one on the base and four remotes (RediDocks)
- 0, 5, or 10 configurable guest service keys on base
- 0, 3, or 6 configurable guest service keys on handset
- Patented OneTouch voice mail retrieval
- Dual Neon/LED message-waiting light
- 2 side USB power ports for device charging
- Electronic 3-way conference (2-line only)
- HAC/VCH (ADA) compliant handset volume boost
- Full-length customizable paper faceplate
- Available in Black

M Series Standard VoIP Cordless

- Available Frequencies: 1.8 GHz and 1.9 GHz
- Single or Two-line speakerphones
- Handset speakerphone
- Supports up to five handsets, including one on the base and four remotes (RediDocks)
- 0, 5, or 10 configurable guest service keys on base
- 0, 3, or 6 configurable guest service keys on handset
- Patented OneTouch voice mail retrieval
- Dual Neon/LED message-waiting light
- 1 side USB power port for device charging
- HAC/VCH (ADA) compliant handset volume boost
- Electronic 3-way conference (2-line only)
- Full-length customizable paper faceplate
- Available in Black

M Series Standard Analog Corded

- Single or Two-line speakerphones
- 5 or 10 configurable guest service keys
- Patented OneTouch voice mail retrieval
- Dual Neon/LED message-waiting light
- 2 side USB power ports for device charging
- Electronic 3-way conference (2-line only)
- HAC/VCH (ADA) compliant handset volume boost
- Full-length customizable paper faceplate
- Trimline available
- Available in Black

M Series Standard VoIP Corded

- Single or Two-line speakerphones
- 5 or 10 configurable guest service keys
- Patented OneTouch voice mail retrieval
- Dual Neon/LED message-waiting light
- 1 side USB power port for device charging
- Electronic 3-way conference (2-line only)
- HAC/VCH (ADA) compliant handset volume boost
- Full-length customizable paper faceplate
- Trimline available
- Available in Black

M SERIES STANDARD VoIP

SPECIFICATIONS

| | |
|---------------------------------|---|
| Standard Color: | Black |
| Footprint: | 217 mm x 147.2 mm x 93 mm |
| Footprint (Trimline): | 240 mm x 76.2 mm x 64 mm |
| Footprint (RediDock): | 215 mm x 66 mm x 69 mm |
| Weight: | 1100 g |
| Weight (Trimline): | 600 g |
| Weight (RediDock): | 650 g |
| Frequency: | 1.9 GHz or 1.8 GHz |
| Power: | Power over Ethernet (POE) 802.3af Compliant |
| Power (Cordless): | Remote Charging Station includes Handset with Battery & A/C adaptor |
| Standby Time (Cordless): | 10 days |
| Talk Time (Cordless): | 6 hours |

PART NUMBERS

SINGLE-LINE VoIP CORDED

| | |
|-----------------------------|-------|
| M100IP5 - 5 GSK | |
| MV10S5D | Black |
| M100IP10 - 10 GSK | |
| MV10S10D | Black |
| M100IPTRM - Trimline | |
| MV10NT | Black |

TWO-LINE VoIP CORDED

| | |
|-----------------------------|-------|
| M200IP5 - 5 GSK | |
| MV20S5D | Black |
| M200IP10 - 10 GSK | |
| MV20S10D | Black |
| M200IPTRM - Trimline | |
| MV20NT | Black |

SINGLE-LINE VoIP CORDLESS

| | |
|---------------------------------------|-------|
| M103IP5 - 5 GSK/0 GSK HDKIT | |
| MV1319S5D | Black |
| M103IP53 - 5 GSK/3 GSK HDKIT | |
| MV1319S53D | Black |
| M103IP56 - 5 GSK/6 GSK HDKIT | |
| MV1319S56D | Black |
| M103IP10 - 10 GSK/0 GSK HDKIT | |
| MV1319S10D | Black |
| M103IP103 - 10 GSK/3 GSK HDKIT | |
| MV1319S103D | Black |
| M103IP106 - 10 GSK/6 GSK HDKIT | |
| MV1319S106D | Black |
| M103IPHDKT - 0 GSK HDKIT | |
| MV1319SHK | Black |

| | |
|------------------------------|-------------------------------|
| Range (Cordless): | 100ft (30m) |
| Humidity: | 65% ± 20% |
| Temperature: | 77°F ± 50° (25°C ± 10°C) |
| Packaging: | 10 per carton |
| Packaging (RediDock): | 20 per carton |
| Faceplate Size: | Full length |
| FCC Specifications: | FCC Part 15 Subpart B: 2009 |
| Safety Standard: | UL - 60950-1 2nd edition |
| | ADA/HAC |
| Handset Coil Cord: | 10 ft (3.048m) |
| Line Cord: | RJ14 line cord - 15 ft (4.5m) |
| Line Cord (Cordless): | RJ45 line cord - 15 ft (4.5m) |

RFCs: 3261 (SIP), 3842 (SIP Subscribe), 2833 (SIP Info)

M103IP3HDKT - 3 GSK HDKIT

| | |
|----------------------------------|-------|
| MV1319S3HK | Black |
| M103IP6HDKT - 6 GSK HDKIT | |
| MV1319S6HK | Black |

TWO-LINE VoIP CORDLESS

| | |
|-------------------------------------|-------|
| M203IP5 - 5 GSK/0 GSK HDKIT | |
| MV2319S5D | Black |
| M203IP53 - 5 GSK/3 GSK HDKIT | |
| MV2319S53D | Black |
| M203IP56 - 5 GSK/6 GSK HDKIT | |
| MV2319S56D | Black |

M203IP10 - 10 GSK/0 GSK HDKIT

| | |
|---------------------------------------|-------|
| MV2319S10D | Black |
| M203IP103 - 10 GSK/3 GSK HDKIT | |
| MV2319S103D | Black |
| M203IP106 - 10 GSK/6 GSK HDKIT | |
| MV2319S106D | Black |
| M203IPHDKT - 0 GSK HDKIT | |
| MV2319SHK | Black |
| M2033IPHDKT - 3 GSK HDKIT | |
| MV2319S3HK | Black |
| M2036IPHDKT - 6 GSK HDKIT | |
| MV2319S6HK | Black |

M SERIES STANDARD ANALOG

SPECIFICATIONS

| | |
|---------------------------------|---|
| Standard Color: | Black |
| Footprint: | 217 mm x 147.2 mm x 93 mm |
| Footprint (Trimline): | 240 mm x 76.2 mm x 64 mm |
| Footprint (RediDock): | 215 mm x 66 mm x 69 mm |
| Weight: | 1150 g |
| Weight (Trimline): | 575 g |
| Weight (Redidock): | 650 g |
| Frequency: | 1.9 GHz or 1.8 GHz |
| Power: | Adapter |
| Power (Cordless): | Remote Charging Station includes Handset with Battery & A/C adaptor |
| Standby Time (Cordless): | 10 days |
| Talk Time (Cordless): | 6 hours |
| Range (Cordless): | 100ft (30m) |
| Humidity: | 65% ± 20% |

PART NUMBERS

SINGLE-LINE ANALOG CORDED

| | |
|---------------------------|-------|
| M1005 - 5 GSK | |
| MA10S5D | Black |
| M10010 - 10 GSK | |
| MA10S10D | Black |
| M100TRM - Trimline | |
| MA10NT | Black |

TWO-LINE ANALOG CORDED

| | |
|---------------------------|-------|
| M2005 - 5 GSK | |
| MA20S5D | Black |
| M20010 - 10 GSK | |
| MA20S10D | Black |
| M200TRM - Trimline | |
| MA20NT | Black |

SINGLE-LINE ANALOG CORDLESS

| | |
|-------------------------------------|-------|
| M1035 - 5 GSK/0 GSK HDKIT | |
| MA1319S5D | Black |
| M10353 - 5 GSK/3 GSK HDKIT | |
| MA1319S53D | Black |
| M10356 - 5 GSK/6 GSK HDKIT | |
| MA1319S56D | Black |
| M10310 - 10 GSK/0 GSK HDKIT | |
| MA1319S10D | Black |
| M103103 - 10 GSK/3 GSK HDKIT | |
| MA1319S103D | Black |
| M103106 - 10 GSK/6 GSK HDKIT | |
| MA1319S106D | Black |
| M103HDKT - 0 GSK HDKIT | |
| MA1319SHK | Black |

M1033HDKT - 3 GSK HDKIT

| | |
|--------------------------------|-------|
| MA1319S3HK | Black |
| M1036HDKT - 6 GSK HDKIT | |
| MA1319S6HK | Black |

TWO-LINE ANALOG CORDLESS

| | |
|-----------------------------------|-------|
| M2035 - 5 GSK/0 GSK HDKIT | |
| MA2319S5D | Black |
| M20353 - 5 GSK/3 GSK HDKIT | |
| MA2319S53D | Black |
| M20356 - 5 GSK/6 GSK HDKIT | |
| MA2319S56D | Black |

M20310 - 10 GSK/0 GSK HDKIT

| | |
|-------------------------------------|-------|
| MA2319S10D | Black |
| M203103 - 10 GSK/3 GSK HDKIT | |
| MA2319S103D | Black |
| M203106 - 10 GSK/6 GSK HDKIT | |
| MA2319S106D | Black |
| M203HDKT - 0 GSK HDKIT | |
| MA2319SHK | Black |
| M2033HDKT - 3 GSK HDKIT | |
| MA2319S3HK | Black |
| M2036HDKT - 6 GSK HDKIT | |
| MA2319S6HK | Black |